DRAFT BIDDING DOCUMENT

FOR THE WORK

"Development of New Entrance (Gate No. 5), including the Security Room, and the Dismantling and Reconstruction of Ten (10) Nos of Doors at the Public Toilet of Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-781037 for The Year 2025-2026"



OFFICE OF THE SECRETARY
SRIMANTA SANKARADEVA KALAKSHETRA SOCIETY
PANJABARI, GUWAHATI – 37, ASSAM

H/A: CORPUS FUND INTEREST ACCOUNT







OFFICE OF THE SECRETARY

SRIMANTA SANKARADEVA KALAKSHETRA SOCIETY

Cultural Affairs Department, Govt. of Assam PANJABARI, GUWAHATI-781037

No. SSK/MWR/313/2025/9803

Dated Guwahati the 9th May' 2025

NOTICE INVITING TENDER (NIT)

The Secretary Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-37, Assam, invites fresh bids for the following work, from registered contractors under APWD (Building) having requisite experience in similar nature of work. Details may be seen in the www.sankaradevakalakshetra.com official website of Srimanta Sankaradeva Kalakshetra, Panjabari, Guwahati-37 and also in the office of the undersigned during office hours from 14-05-2025 to 27-05-2025.

SI. No.	Name of Work	Approx. Value of the work,	Time of completion	Bid Security (2% for General, and 1% for Reserved category	Bid Security and cost of Bid to be drawn in favour of	Cost of Bid Document
1	"Development of New Entrance (Gate No. 5), including the Security Room, and the Dismantling and Reconstruction of Ten (10) Nos of Doors at the Public Toilet of Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-781037 for The Year 2025-2026"	(Rupees two lakh forty eight thousand two hundred ninety eight) only	03 (three) Month	Rs. 5,000.00 for General Category or Rs 2,500.00 for reserved Category	"Secretary Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-37	Rs. 100/-

 All the interested bidders are requested to down load the Bidding document from official website of Srimanta Sankaradeva Kalakshetra, Panjabari, Guwahati-37 and also requested to read carefully before submission of their bid.

Secretary
Srimanta Sankaradeva Kalakshetra Society.
Panjabari, Guwahati-781037, Assam.
Dated Guwahati the 9th May' 2025

Memo No. No. SSK/MWR/313/2025/9803 Copy to,

- 1. The Vice Chairman, Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-37 for favour of your kind information.
- 2. The Account Branch office of the Secretary Srimanta Sankaradeva Kalakshetra Society, Assam, Panjabari, Guwahati-37 for information.
- 3. Ramen Haloi, Junior Assistant of SSKS is requested to publish in the official web site www.sankaradevakalakshetra of SSKS.
- 4. Notice board / tender file.

Sd/-

Secretary Srimanta Sankaradeva Kalakshetra Society. Panjabari, Guwahati-37, Assam.

ACTIVITY SCHEDULE FOR THE WORK

"Development of New Entrance (Gate No. 5), including the Security Room, and the Dismantling and Reconstruction of Ten (10) Nos of Doors at the Public Toilet of Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-781037 for The Year 2025-2026"

SI. No.	Schedule	Start Date	Start Time	End Date	End Time
1	Publishing Date	14-05-2025	11.00 AM		
2	Tender Download	14-05-2025	1.00 PM	27-05-2025	2.00PM
3	Pre Bid Meeting Date	21-05-2025	12.00 AM	-	-
4	Bid Submission Date	14-05-2025	2.00 PM	27-05-2025	2.00PM
5	Technical Bid Opening Date (Cover-I)	27-05-2025	3.00 PM	-	-
6	Financial Bid Opening Date (Cover-2)	27-05-2025	3.00 PM	-	-

SECTION I

A. Applicant's eligibility criteria

Prospective bidders should have the following minimum qualifying criteria for Participation in RFP document:

- 1. Bidders should be registered Contractor of APWD (Building)
- 2. The Total volume of works performed in the last 3 years should be 30% of the estimated Value.
 - i) 2022-2023
 - ii) 2023-2024
 - iii) 2024-2025
- 3. Average Annual financial turnover during the last 3 years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost.
- 4. Experience of having successfully completed similar works during last 7 years ending last day of month previous to the one in which applications are invited should be either of the following:
 - a) Three similar completed works costing not less than the amount equal to 40% of the estimated cost.

OR

b) Two similar completed works costing not less than the amount equal to 50% of the estimated cost.

OR

- c) One similar completed work costing not less than the amount equal to 80% of the estimated cost.
- 5. The bidder must be a profit making one for the last five years.
- 6. The bidder must have valid GST registration certificate.
- 7. The bidder must provide photo copy of Pan Card.
- 8. Undertaking that the bidder will be able to invest a minimum cash of 25% of contract value of work, during implementation of the work.
- 9. Information regarding any litigation, current or during the last five years in which the Bidder is involved, the parties concerned, and disputed amount.
- 10. In the event of date of bid opening being a holiday, the activities will take place on the next working day.
- 11. Hard copy the Technical and Financial bids are to be submitted at the Office chamber of the undersigned on or before 27-05-2025 up to 14.00 hrs.
- 12. Along with the hard copy of the Technical bid, the following documents (in original) must also be submitted on or before 27-05-2025 up to 14.00 hrs:
 - a) 1) Bank certificate (credit facility/solvency certificate), 2) Power of Attorney (if Any), 3) Undertaking (for bid validity and minimum cash up to 25% value of work).
 - b) BID Securities in the form of Original Bank Guarantee/FD from a Nationalized/ Scheduled

 Bank in favour of "Secretary Srimanta Sankaradeva Kalakshetra, Panjabari, Guwahati-37.
 - (c) Original DD/Banker's Cheque for Rs 100/-in favour of "Secretary Srimanta Sankaradeva Kalakshetra, Panjabari, Guwahati-37 towards cost of bidding document for the job.

- d) The bidders have to furnish Solvency Certificate from nationalised bank.
- e) The SSKS reserves the right to cancel allotment at any point of time after giving one week (seven days) written notice to the Agency. However in case of emergency or other compelling circumstances, SSKS may stop work at any time.
- f) Price level as per CPWD DSR, Vol I & Vol-II for 2021 and CPWD 2018 for Electric work

B. Others:

- 1. BID Document is non-transferable.
- 2. Bid Document complete in all respects should reach on or before the **DUE DATE AND TIME.** BID through Fax/ E-mail shall not be considered.
- 3. Bidders may depute their representative with proper authorization letter to attend opening of technical bids.
- 4. Srimanta Sankaradeva Society reserves the right to cancel the BID at any stage without Assigning any reason thereof.
- 5. Specification for all items of works should be as per approved Bill of Quantities for the work.
- 6. There cannot be any supplementary items without prior approval.
- 7. There will be no time extension without prior approval.
- 8. Nonpayment of running bill should not be the criteria for slow progress of work.
- 9. Defect Liability period: 365 days from the date of completion.
- 10. The Bid security of the successful bidder will be discharged when the bidder has signed the Agreement and furnish the Performance security.

11. The Bid Security may be forfeited

- a) If the bidder withdraws the Bid after opening during the period of Bid validity.
- b) If the Bidder fails to sign the Agreement or Furnish the required performance Security as per LOA (Letter OF acceptance)
- 12. Bid validity 180 days.
- 13. Each bidder shall submit only one bid for one package. A bidder who submits or participates in more than one Bid will cause all the proposals with the Bidder's participation to be disqualified.

C. Selection Process

The bidder will be selected based on the technical & financial proposals which each applicant is required to submit to this office.

Preparation of Proposal:

1. The Proposal will consist of two (2) components

Part-I: Technical Proposal

Part II: Financial Proposal

Part I: Technical Proposal

The Technical Proposal shall not include any financial information and any Technical Proposal containing financial information shall be declared non-responsive.

Applicant should submit all necessary documents required for technical evaluation.

Part II: Financial Proposal

This part shall contain only the price part. **Price quoted should be inclusive of all taxes** applicable to the service.

D. Instructions for submission of Technical, & Financial Proposals:

The Bidder or an authorized representative of Firms shall sign all pages of the Technical and Financial Proposals. The original and all copies of the Technical Proposal shall be placed in a sealed envelope clearly marked "TECHNICAL PROPOSAL" Similarly, the original Financial Proposal copies shall be placed in a sealed envelope clearly marked "FINANCIAL PROPOSAL" followed by the name of the Assignment/job. The envelopes containing the Technical Proposal, Financial Proposal, and processing fees, proposal security shall be placed into an outer envelope and sealed. This outer envelope shall be sealed and super scribe with name and address of the bidder and should be delivered at the address: Secretary, Srimanta Sankaradeva Kalakshetra Society (SSKS), Panjabari, Guwahati-37 before due date and time.

E. BID OPENING AND EVALUATION

The Employer will open all the technical and Financial Bids received (except those received late), in the presence of the Bidders or their representatives who choose to attend at time, date specified in Tender Time Schedule. In the event of the specified date of Bid opening being declared a holiday for the Employer, the Bids will be opened at the appointed time and location on the next working day.

After opening the envelope containing "Technical Bid" the amount, form and validity of the bid security furnished with each bid will be announced. If the bid security furnished does not conform to the amount and validity period, the bidder will be declared as non responsive and financial bid will not be opened.

F. SOURCE OF FUNDS

The expenditure is debit able under the H/A: CORPUS FUND INTEREST ACCOUNT

SITE VISIT

The intended bidders are asked to verify the site at the Bidder's own responsibility and risk and examine Site of Works and its surroundings and obtain all information that may be necessary for preparing the Bid prior to quoting their rates. The cost of visiting the Site shall be at the Bidder's own expense.

H. QUALITY CONTROL

- a) The Engineer shall check the Contractor's work and notify the Contractor of any defects that are found. Such checking shall not affect the contractor's responsibilities. The Engineer may instruct the Contractor to search for a Defect and to uncover and test any work that the Engineer considers may have a Defect.
- b) If the Engineer instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples.
- c) The Engineer shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion and is defined in the Contract Data. The Defects Liability Period shall be extended for as long as Defects remain to be corrected.
- d) Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the Engineer's notice.

G. SPECIAL CONDITIONS OF CONTRACT (SCC)

a) **SITE INFORMATION**:

i) The Project site is situated at Srimanta Sankaradeva Kalakshetra Society Campus, Panjabari, Guwahati-37.

b) MATERIALS

- i) No. brick bats should be used in the floor soling.
- ii) The Contractor shall maintain a goods store for storing cement. The flooring of the storage house, the clearance of cement bags from the sidewalls etc shall be as instructed by the Engineer In Charge or his authorized representatives.
- iii) The cement store shall be open for supervision and verification by the Engineer-in-charge or his authorized representatives at any time when he feels the need to do so along with the Contractor's representatives.

c) REINFORCEMENT BARS

- i) Reinforcement bars to be used should be in conformity with relevant IS Code of practice and as per specification mentioned in BOQ (BILL OF QUANTITY)
- d) No work beyond the scope of the sanctioned estimate leading either to increase in the scope of the work or change in specifications should be undertaken without obtaining prior written approval from the competent authority.
- e) The work shall be executed as per Tender specifications, IS codes of practice with amendments from time to time.
- f) Video and Still Photography of the work before and after execution of the work should be invariably done and records submit to the Secretary , Srimanta Sankaradeva Kalakshetra Society , Panjabari, Guwahati-37.

H.PRE-BID -MEETING

- a) The bidder or his official representative is invited to attend a pre-bid meeting, which will take place at the address, venue, time and date as indicated in N.I.T. / I.F.B.
- b) The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- g) The bidder may submit any questions in writing to the Secretary, Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-37 on the day of the meeting.
- h) Minutes of the meeting, including the text of the questions and the responses given will be transmitted without delay to all purchasers of the bidding documents.
- i) Non-attendance at the pre-bid meeting will not be a cause for disqualification of a bidder.

I.LATE BIDS

a) Any Bid received late by the Secretary Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-37 after the deadline will be returned unopened to the bidder.

J. COST CONTROL

- a) The Bill of Quantities shall contain items for the construction, installation, testing, and commissioning work to be done by the Contractor.
- b) The Bill of Quantities is used to calculate the Contract Price. The Contractor is paid for the quantity of the work done at the rate in the Bill of Quantities for each item.
- c) If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent provided the change is attributed to the Department i.e., either the B.O.Q. is prepared by the department or variation is due to change/modification ordered by the Department and the same exceeds 1% of initial Contract Price, the Engineer shall adjust the rate to allow for the change, duly considering,
- c) Justification for rate adjustment as furnished by the contractor.
- d) There cannot be any supplementary items

k. PAYMENT CERTIFICATES

- d) The Contractor shall submit to the Engineer monthly statements of the estimated value of the work completed.
- e) The Engineer shall check the Contractor's monthly statement within 14 days and certify the amount to be paid to the Contractor after taking into account any credit or debit for the month in question in respect of materials for the works in the relevant amounts. The payment will be made according to the availability of fund.
- f) The value of work executed shall be determined by the Engineer.
- g) The value of work executed shall comprise the value of the quantities of the items in the Bill of Quantities completed.
- h) The value of work executed shall include the valuation of variations and Compensation Events.

i) The Engineer may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.

k. PAYMENTS:

- I. Payments shall be adjusted for deductions for advance payments, retention, other recoveries in terms of the contract and GST (as applicable), Forest Royalty, duties, taxes at source, as applicable under the law. The Employer shall pay the Contractor the amounts certified by the Engineer within a reasonable time subject to the availability of fund. The Engineer/ Employer shall not delay the payment unreasonably (i.e., without valid reasons), if fund is available.
- m. Payment will be made on the basis of joint measurements, taken by contractor and certified Engineer-In-Charge. Measurement shall base on the basis of approved drawings for construction to the extent that the work conforms to the drawings and details are adequate

M. FINISHING THE CONTRACT

a. The Contractor shall request the Engineer to issue a Certificate of Completion of the Works and the Engineer will do so upon deciding that the Work is completed.

N. TAKING OVER

a. The Employer shall take over the Site and the Works within seven days of the Engineer issuing a certificate of Completion.

O. CONTACT DATA

i)

a. Milestone Dates

Physical works to be completed

Milestone 1 -- 25%

ii) Milestone 2 --50%

iii) Milestone 3—75%

iv) Milestone 4 –100%

Period from the start date

30 (Thirty) days

45 (Forty five) days

60 (Sixty) days

90 (Ninety) days

b. Amount of liquidated damages for delay in completion of works:

n. Milestone 1: Rs. 70/- per day

o. Milestone 2: Rs. 140/- per day

p. Milestone 3: Rs. 210/- per day

q. Milestone 4: Rs. 280/-per day

c. Maximum limit of liquidated 10 %(Ten) Percent of the initial contract price rounded off to nearest thousand for delay completion of works.

P.INCOME TAX

Income tax at the prevailing rate as applicable from time to time shall be deducted from the Contractor's Bills as per Income Tax Act, and quoted rates shall be deemed to include the same.

P.TECHNICAL SPECIFICATIONS:

a. The Technical Specification as stated in CPWD General Specification's will be followed

Q. EXTENSION OF THE INTENDED COMPLETION DATE:

a) The Engineer shall extend the Intended Completion Date if a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date.

R. URGENCY OF WORK

The work being of very urgent nature it shall be carried out with all efforts by the contractor to complete it in all respects within the stipulated time of completion. The progress of the work as shown in work programme shall be continued, by the contractor even if any dispute arises between the contractor and the department on any matter connected with the work and contractor approaches legal authority for settlement of the dispute, on being not satisfied with the decision of the Deptt. on the matter of dispute. The continuation of progress of the work should not be hampered in any case by both parties and order given by legal authority on matter of dispute shall be binding on the parties.

S. BID CAPACITY:

Bidders who meet the minimum qualification criteria will be qualified only if their available bid capacity is more than the total bid value. The available bid capacity will be calculated as under:

Assessed Available Bid Capacity = (A X N X 2 - B)

Where

- A= Average value of civil Engineering works executed during the last five years (updated to the price level of the year indicated in Appendix-I) taking into account the completed as well as works in progress.
- N= Number of years prescribed for completion of the works for which bids are invited.
- B= Value (updated to the price level of the year indicated in Appendix) of existing commitments and on-going works to be completed during the next 03(Three) months. (Period of completion of the works for which bid is invited).

Note: The Statements showing the value of existing commitments and on-going works as well as the stipulated period of completion remaining for each of the works listed should be countersigned by the Engineer-in-Charge, not below the rank of an Executive Engineer or equivalent.

T. **UPDATING FACTORS:**

Updating factors for updating work value of single building project executed during last three years.

Year before	Multiply factor
One	1.10
Two	1.21
Three	1.33

Section II

A. Proposal Security:

1. Within 15 (Fifteen) days of receipt of the Letter of Acceptance, the bidder shall deposit, Performance Security deposit in the form of BG/FDR of any Nationalized Bank, for an amount equivalent to 5% of the Contract price duly pledged to the "the Secretary, Srimanta Sankaradeva Kalakshetra, Panjabari, Guwahati-37" payable at Guwahati with a validity of 365 (Three hundred Sixty five) days beyond the Schedule of time of completion. The performance security will be released only after successful completion of the Work.

B. Confidentiality:

Information relating to evaluation of RFP and recommendations concerning awards shall not be disclosed to the Bidders who submitted the Proposals or to other persons not officially concerned with the process, until the publication of the award of Contract. The undue use by any Bidder of confidential information related to the process may result in the rejection.

<u>Technical Bid</u>
Particulars of the Bidders (Please submit along with documentary evidence)

SI no	Particulars	
1	Name of the Bidder/ Firm	
2	Type of the Company whether, Proprietorship, Partnership Etc.	
3	Name and Address of the Proprietor/Partners/Directors of the Company.	
4	Registered Office Address and Telephone / Mobile Number & Email address. Local Contact Address/ Telephone / Mobile Number.	
5	Photo copy of Pan Card	
6	Cost of bid Rs. 100/- (One hundred)only	
7	Bid Security (2% for General, and 1% for reserved category	

8. Financial bid envelope should contain the following:-

SI. No.	Details of scope of work	Amount in Rs. (Both Figure and Words)
1	As mentioned in the tender document.	

C. Declaration:

I/We declare that, the information given above is correct to the best of my knowledge and understanding. In case it is found false/incorrect, at any stage, SSKS may terminate the contract and could take suitable actions against the company/firm/agency. I/We have read/gone through the terms, conditions, rules, guidelines etc. of the tender work. I/We agree to execute the "Development of New Entrance (Gate No. 5), including the Security Room, and the Dismantling and Reconstruction of Ten (10) Nos of Doors at the Public Toilet of Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-781037 for The Year 2025-2026"

Please put signature and name on every page of Bid Document and Enclosures.)

AGREEMENT

Αρ	ree	me	nt	Nο.

Agreement No.
This agreement made on the day of 2025 between the Secretary Srimanta Sankaradeva
Kalakshetra Society,Panjabari,Assam,Guwahati-37[Hereinafter called "the Employer"] and
(Hereinafter called "the Bidder/ Firms" of the other part.) Whereas the
Employer is desirous that the consultant should execute the work of "Development of New Entrance (Gate No. 5),
including the Security Room, and the Dismantling and Reconstruction of Ten (10) Nos of Doors at the Public Toilet of
Srimanta Sankaradeva Kalakshetra Society, Panjabari, Guwahati-781037 for The Year 2025-2026" and the Employer
has accepted the quotation of rates submitted by the Contractor for the execution and completion of such
work and the remedying of any defects therein, at a cost
NOW THIS AGREEMENT WITHNESSETH as follows:
1. In this Agreement, words and expression shall have the same meanings as are respectively assigned to
them in the conditions hereinafter referred to and they shall be deemed to form and be read and
construed as part of this Agreement.
2. In consideration of the payments to be made by the Employer to the bidder/Firms as hereinafter
mentioned, the bidder/ Firms hereby covenants with the Employer to execute and complete the
works and remedy any defects therein in conformity in all aspects with the provision of the contract.
3. The Employer hereby covenants to pay the bidder/ Firms in consideration of the execution and
completion of the Works and the remedying the defects wherein Contract Price or such other sum as
may become payable under the provisions of the Contract at the times and in the manner prescribed
by the Contract.
4. The following documents shall be deemed to form and be ready and construed as part of this
Agreement viz.
i. Letter of Acceptance.
ii. <u>eligibility criteria</u>
In witnessed whereof the parties thereto have caused this Agreement to be executed the day and year first
before written. Signed, Sealed and delivered by the said Secretary Srimanta Sankaradeva Kalakshetra at
Panjabari, Assam, Guwahati-37, and the Contractor .
In the presence of:
Binding Signature of Employer
Binding Signature of Contractor (i.e. the Consultant)

SECURITIES AND OTHER FORMS

UNDERTAKING

(For validity of the Bid)

1	l,	the	undersigned	do	hereby	undertake	that	our	firm	M/s			-
					agree	to abide by	this bi	d for	a perio	od of 180	days for	the	:
date fixe	ed 1	or re	eceiving the sa	ame a	nd it sha	ıll be bindin	g on u	s and	may b	e accepte	d at any	time before the	<u>,</u>
expiratio	on d	of tha	nt period.										
•			•										
							_						-
								(S	igned l	y an Auth	orised O	fficer of the firm)
												Title of Office	r
												Name of Firm	1

UNDERTAKING

I, the undersigned do hereb	y undertake that our firm M/s
	would invest a minimum cash up to 25% of the value of the work during
implementation of the contract.	
	(Signed by an Authorised Officer of the firm)
	Title of Officer
	Name of Firm
	Name of Firm
	<u>DATE</u>

SAMPLE FORMAT FOR EVIDENCE OF ACCESS TO ORAVAILABILITY OF CREDIT FACILITIES

BANK CERTIFICATE

This is to certify that M/s	is a
reputed company with good financial	standing. If the contract for the work, namely Construction of is awarded to the above firm, we shall be able to provide
overdraft/credit facilities to the extent R	S
	to meet their working capital requirements for executing the
above during the contract period.	
	(Signature)

Name of the Bank
Senior Bank manager
Address of the Bank

SAMPLE FORMAT FOR EVIDENCE OF ACCESS TO OR

AVAILABILITY OF CREDIT FACILITIES

Information on litigation history in which the bidder is involved

Other Party (ies)	Employer	Cause of Dispute	Amount involved	Remarks showing the present status

(Signed by an Authorized Officer of the firm)

Title of Officer

Name of Firm

BOQ (BILL OF QUANTITY)

Name of work

"Development of New Entrance (Gate No. 5), including the Security Room, and the Dismantling and Reconstruction of Ten (10) Nos of Doors at the Public Toilet of Srimanta Sankaradeva Kalakshetra

Society, Paniabari, Guwahati-781037 for The Year 2025-2026"

SI	Society, Panjabari, Guwana Description of Items	Units	Qty	Rate in	Rate in	Amount
no	,			figure	words	
1	Disposal of moorum/building rubbish/ malba/ similar unserviceable, dismantled or waste material by mechanical transport including loading, transporting, unloading to approved municipal dumping ground for lead upto 10 km for all lifts, complete as per directions of Engineer-in-charge.	Cum	5.37	-		
2	Dry brick on edge flooring in required pattern with bricks of class designation 7.5 on a bed of 12 mm mud mortar, including filling joints with Jamuna sand, with common burnt clay non modular bricks.	Sqm	66.25			
3	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	Sqm	66.25			
4	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead: 15.12.1 Of area 3 sq. metres and below	Nos	10			
5	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). Kiln seasoned and chemically treated hollock wood	Cum	0.37			

6	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid decorative type flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant. WPC to be laminated with PVC foil of minimum 14 microns thick of approved design pasted with hot melt adhesive on both faces of shutter and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel butt hinges and necessary S.S screws shall be paid separately)26.88.2 35 mm thick	Sqm	15.38		
7	Providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: 9.95.3 100x75x4 mm	Each	5.00		
	Providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: 9.95.5 100x63x3.2 mm	Each	5.00		
8	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 9.97.2 250x10 mm	Each	10.00		

	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 9.97.4 150x10 mm	Each	10.00		
9	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete 9.100.1 125 mm	Each	5.00		
	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete 9.100.2 100 mm	Each	6.00		
10	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete	Sqm	87.90		
11	Providing & Applying polymer modified, flexible cementatious negative side waterproofing coating with elastic waterproofing polymers on interior wall plaster surface in three coats @14.35 kg /10 sqm. one coat of self priming of cementatious waterproofing polymer(dilution with water in the ratio of 1:1) and two coats of cementatious waterproofing polymer (dilution with water in the ratio of 3:1) after scrapping and properly cleaning the surface to remove preexisting paint film & loose particles till plaster is visible, complete in all respect as per the direction of Engineer-in-Charge.	Sqm	10.81		
12	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	Sqm	30.62		
13	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : 13.43.1 Water thinnable cement primer	Sqm	30.62		

14	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade: 13.60.1 Two or more coats on new work	Sqm	30.62		
15	Finishing walls with Acrylic Smooth exterior paint of required shade: 13.46.1 New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	Sqm	57.28		
16	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/10 sqm of approved brand and manufacture	Sqm	22.36		
17	Wiring for light/ fan/ call bell point with 2x1.5 sq mm P.V.C. insulated single core unsheathed industrial (Multistrand) cable FR conforming to IS-694: 1990 with flexible bright annealed electrolytic copper conductor for voltage grade up to 1100 volts (Finolex /RR Kabel /Nicco / Anchor or Equivalent Make as approved by the Deptt.) with flat 19 mm ISI marked casing 'n' capping (AKG / Precision/ Presto Plast/Polycab/ MW or equivalent make as approved by the Deptt.) in surface system, including 6 Amp flush type switch/ bell push (Anchor Penta/Gold medal /Kolor kany.Kom/ Havells or equivalent make as approved by the Deptt.) GI/ MS switch board (ISI marked) half conceal on wall with phenolic laminated sheet cover ,ceiling rose (Anchor/Gold medal /Kolor kany.Kom / Havells or equivalent make as approved by the Deptt.) etc. complete as directed and specified by the Deptt.1.1.2 Medium point up to 6.00 metre. Length.	eah	6		
18	Supplying including fitting fixing of following A.C. Exhaust fan in the existing hole on the wall of following sweeps with making necessary connection as approved by the Deptt.) as required complete and as directed by the Department. 27.2.1.7 Heavy Duty 450 mm sweep 900 RPM Single phase (ORIENT make)	each	1		
19	Providing FRP Led Gate And Garden Lights, Round	each	2		

20	Supplying with fitting & fixing of the following Street light luminaries complete with lamp in the existing pole including making necessary connection as approved by the Deptt.)with 2 ×1.50 sq.mm F.R. multistrand and P.V.C. insulated single core copper cable as specified and directed by the department. 25.1.1 Philips make) Type TRC033 2xTL-D36W IC For lamp 2xTL-D36W/TL-40W./Wipro make): WSF 15240 For lamp 2x36/40W FTL (T8) / Crompton Greaves make) SFE1624HSBN For lamp 2x36/40W FTL / Havells make): LHRF 14204011 For lamp 2x36/40W FTL	each	4		
21	Supply of LED Light set 4 ft - 20W. Model No. SSK-SQ/2001-3000k (Make Syska/ Havells/ Philips)	each	5		
22	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required1.24.4: 3 pin 5/6 A socket outlet	each	2.00		
23	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 1.23.1 5/6 amps switch	each	10.00		
24	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 1.28.6 12 Module	each	1.00		